



**WALL TYPE LEGEND**

- (A) 8" SPLIT FACE CONCRETE BLOCK WITH FOAM FILL INSULATION  
2" NAT CHANNELS WITH 3/4" RIGID INSULATION  
5/8" GYP BD
- (B) 8" SPLIT FACE CONCRETE BLOCK WITH FOAM FILL INSULATION
- (C) 1" THIN BRICK  
1/2" DENSGLASS SHEATHING  
6" METAL STUDS @ 16" O.C.  
R-19 BATT INSULATION  
5/8" GYP BD
- (D) 5/8" TYPE "X" GYP BD  
6" METAL STUDS @ 16" O.C.  
SOUND BATT INSULATION  
5/8" TYPE "X" GYP BD (UL U432 1 HOUR RATED)
- (E) 5/8" GYP BD  
3 5/8" METAL STUDS @ 16" O.C.  
SOUND BATT INSULATION  
5/8" GYP BD
- (F) 5/8" GYP BD  
3 5/8" METAL STUDS @ 16" O.C.  
SOUND BATT INSULATION  
5/8" GYP BD (MOISTURE RESISTANT)
- (G) 5/8" GYP BD  
6" METAL STUDS @ 16" O.C.  
SOUND BATT INSULATION  
5/8" GYP BD (MOISTURE RESISTANT)
- (H) 5/8" GYP BD (MOISTURE RESISTANT)  
3 5/8" METAL STUDS @ 16" O.C.  
SOUND BATT INSULATION  
5/8" GYP BD (MOISTURE RESISTANT)

**FLOOR PLAN**  
SCALE: 1/8" = 1'-0"

REVISION	BY
ADDITION # 2	JJR
08-15-15	
ADDITION # 3	JJR
08-15-15	
SEE COMMENTS	JJR
08-15-15	

**NEUHOFF TAYLOR ARCHITECTS**  
PROFESSIONAL CORPORATION  
CHATTANOOGA, TN 37405  
680 DALLAS ROAD  
(423) 285-3272  
FAX (423) 286-5502

**HIXSON CROSSING**  
5550 HIGHWAY 153  
HIXSON, TENNESSEE 37343

PROJECT NO. 08-69  
JOB FILE NO. 0869A1.0  
DATE 08/03/15

DATE 04-30-10  
DATE 02-08-10

FLOOR PLAN  
SHEET NO.

**A1.0**